


Sunsail 41 - 3 Cabin, 2 Head *Specifications*



Specification and Equipment

HULL & DECK

Prisma Process® injected deck, ISO gelcoat surface, discontinuous balsa block coring

Solid, hand-laid fibreglass hull with ISO gelcoat surface, protective barrier coat

3rd generation inner fibreglass grid, high-load zones cut out and relaminated, drainage system through structure, special emergency repair zone in keel area

Open stainless steel bow pulpit

Stainless steel stern pulpits with flag holder and buoy bracket

Outboard engine bracket mounted on stern pulpit

Double stainless steel lifelines without PVC coating, stainless steel stanchions

Opening lifeline gates on each side

Toerail with integrated stainless fairleads and drainage for side deck

4 x Mooring cleats forward and aft

2 x Cleats placed on side deck

Sculpted, long handrails on coachroof for secure movement

8 x Fixed hull ports with track-mounted curtains and shades

2 x Opening cockpit and hull ports

6 x Lateral fixed windows with curtains

2 x Opening ports integrated into lateral windows

6 x Opening deck hatches

Sunsail striping and graphics

ENGINE & STEERING SYSTEM

Yanmar 40 hp engine

Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin

Fixed 3-blade propeller

Built-in muffler, forced air ventilation and stainless steel exhaust fitting aft

Fibreglass rudder

53 gal. / 200 l rotomolded fuel tank located under aft berth with deck fill

Emergency tiller delivered with the boat, chrome fitting in cockpit floor

Fuel filter with water separator

Fire resistant engine room fuel hose

Engine seawater filter

MOORING & ANCHORING

Primary and secondary anchor

Anchor roller

1000 w electric windlass with hand held remote wired direct

Anchor locker with room for anchor and tackle, integrated windlass area, holder for windlass handle

COCKPIT

Twin steering wheels with compasses at each steering position and stainless steel grabrails

Dedicated space for instruments within easy reach of helm positions, room for GPS chartplotter mounted at aft end of cockpit table with easy viewing from each helm

Throttle and engine control panel mounted at starboard helm, engine panel includes fuel gauge, RPM gauge, warning lights, ignition

Cockpit bench seating

2 x Cockpit lockers under bench seats and 1 lazette locker under the port helm seat for technical access to steering system

GRP folding cockpit table with storage, cup holders, stainless steel handrail, courtesy lighting

12 v cigarette lighter socket

Gas locker located in lazette locker under starboard helm seat, room for 2 gas bottles with connection to gas system and cut-off valve under stove in the galley

Retractable hot and cold water shower with tap

Liferaft locker located in dedicated compartment between helm seats

Storage compartment for companionway door in forward section of liferaft locker

Swim platform with swim ladder

Sprayhood and Bimini

MAST & RIGGING

Classic aluminium mast with double spreaders

Standing rigging -- discontinuous 1 x 19 stainless steel wire

Fixed backstay

Genoa furler with double slot, attachment to stemhead fitting and furling line lead aft to port helm winch

Topping lift, mainsail halyard, genoa halyard, mainsheet, genoa sheets

Rigid boom vang & tackle

Windex

2 x reef lines (single line reefing)

SAILS & DECK HARDWARE

Upgraded, heavy duty fully battened mainsail

Upgraded, heavy duty furling genoa with UV protection strips

Heavy duty lazyjacks and stackpack system

2 x Self-tailing genoa winches

2 x Self-tailing coachroof winches

Genoa tracks with adjustable cars located on coachroof

2 x Winch handles with ball-bearing grip

Mainsheet and genoa sheet lead back to helm station with jammers

Line jammers on both sides of coachroof with return blocks

Roof-mounted mainsheet traveller with ball-bearing cars, control lines lead aft to cockpit

ELECTRICAL SYSTEM

80 amp 12 v alternator

Charge distributor/isolator

1 x 110 amp start battery

3 x 110 amp domestic batteries

40 amp battery charger

Positive battery switch for engine and domestic bank and general cut-off switch mounted on panel in aft cabin

Shorepower inlet with differential breaker, one plug per cabin, plug in galley, saloon and navigation station

Shore power cord wired direct (no transom plug)

Electrical panel with 12 v breakers, 12 v ammeter, 12 v consumption meter, 12 v charging meter

12 v plug per cabin and at navigation station

Flush mounted chrome brass ceiling lights in saloon, head compartments and cabins

LED reading lights in forward and aft cabins

Indirect halogen lighting under side decks in saloon and head compartments

Gooseneck chart light mounted at navigation station

Sunsail 41 - 3 Cabin, 2 Head

Propane solenoid valve

Electronic depth and speed reading speed over ground from the GPS

Autopilot

Chart plotter mounted in cockpit

VHF

Waterproof speaker for VHF in cockpit

Stereo/CD with front socket for MP3 with inside speakers

Waterproof cockpit speakers for stereo

Fans in each cabin plus saloon and galley

LED navigation lights and anchor light

WATER SYSTEM

2 x Rotomolded water tanks located under forward and aft berths with separate deck fills. Total capacity 140 gal. / 530 l

21 gal. / 80 l rotomolded holding tank located in each head compartment with valve for overboard discharge via gravity and deck fitting for pump out

1 x additional 21gal. / 80 l waste tank

Hot and cold pressurised water distributed through-out the boat via semi-rigid hose

"Heavy-duty" water pump and accumulator tank for consistent water pressure

10 gal. / 40 l hot water tank that is connected to engine heat exchanger and to 110 v or 220 v electrical system

Electric bilge pump on float switch and manual dual-action pump in the cockpit

Digital water level display

Shower sumps equipped with individual electric pumps with filters and on-off switches

Large manual pump marine toilets

INTERIOR

Contemporary interior design in "Fine Teak" laminated panels with solid wood trim around galley, companionway and cabinetry, finished in satin UV stabilised varnish

Laminate floorboards with light-coloured lines, varnished edges

SALOON

Headroom: 6 ft 3 in / 1.92 m

Saloon with U-shaped seating area to starboard, wrap-around cushions and storage under seating area

Saloon dining table

Saloon table converts to a double berth

2 stools in saloon

Saloon cushions

Storage cabinets along hull sides

Lounge seating to port with plush cushions and upper storage cabinets

Saloon stereo speaker

GALLEY

Headroom 6 ft 3 in / 1.91 m

Galley with double stainless steel sinks with covers, and reversible cutting board, solid counter tops, chrome plumbing fittings, storage cabinets and drawers

L-galley to starboard with glass separator between galley counter and seating area
Storage compartment for books and magazines

Stainless steel gimbaled stove with 2-burners, oven and grill. Stainless steel protection bar

47 gal. / 180 l Fridge compartment with vertical access

Single fridge box with freezer area, wire baskets, 12 v refrigeration and integrated compressor

NAVIGATION STATION

Full-function navigation station with general electrical panel, room for GPS chartplotter and bookshelf

12 v cigarette lighter socket at chart table

HEADS

2 head compartments

Chrome shower taps in heads

Forward head compartment with:
Sink

Clothes hook, mirror, towel holder, toilet paper holder, wastebasket

Cabinet above sink

Large, manual toilet

Electric drainage pump

Large aft head compartment with:
Sink

Separate plexiglass shower

Clothes hook, mirror, towel holder, toilet paper holder, wastebasket

Cabinet above sink

Large, manual toilet

Electric drainage pump

Access from saloon

COMPANION WAY

Headroom: 6 ft 4 in / 1.94 m

Companionway with non-slip steps

Plexiglass companionway door with dedicated storage location

FORWARD CABIN

Forward cabin with central berth and storage forward of the berth

Headroom: 6 ft / 1.84 m

6 ft 10 in / 2.1 m x 6 ft / 2m double berth, with wood trim, high-density foam marine mattress

Deep cabinet with shelves and hanging rod

White vinyl lining on hull with lateral wood shelf

TWIN AFT CABINS

Headroom: 6 ft 4 in / 1.95 m

6 ft 6 in / 2.00 m x 5 ft 1 in / 1.57 m double berths with high-density foam marine mattress

Deep cabinet with shelves and hanging rod per cabin

White vinyl lining on hull with lateral wood shelf

ADDITIONAL CRUISING GEAR

Above-deck equipment

Bedding, linens and galley equipment

Mosquito screens

Safety equipment



The Sunsail 41

NEW for 2010/2011 the Sunsail 41 has taken on key design innovations which include the complete rethinking of the deck and sail plans to make this boat, not only fast, but incredibly easy to handle.

Twin wheels and a large swim platform make spending time aboard the Sunsail 41 relaxing and comfortable. Flush hatches and clean decks give the boat a sophisticated look while ensuring safe movements while on board. Special curved hatches and windows give the boat a sleek look while enhancing visibility and ventilation below.

Down below, the attention to detail can be felt throughout with its contemporary interior design, and a mass of light pouring in through numerous hull ports and overhead hatches.

Technical Information

| | |
|------------------|-----------------------|
| Length Overall | 40 ft 5 in. / 12.34 m |
| Waterline Length | 36 ft 1 in. / 11.00 m |
| Beam | 13 ft 1 in. / 3.99 m |
| Draft | 6 ft 10 in. / 2.10 m |
| Sail Area | 848 sq ft / 78.9 sq m |
| Auxiliary Power | 40 hp |
| Fuel Capacity | 53 gal. / 200 l |
| Water Capacity | 140 gal. / 530 l |
| Berths | 6 + 2 in saloon |
| Displacement | 16,424 lbs / 7,450 kg |
| Heads | 2 |
| Showers | 3 |

