

Sunsail Lagoon 424

Specifications and Equipment List - Sunsail Upgrades In Bold

DECK & HULL

- Composition : Polyester and high quality anti-osmotic resin
- Hull and deck laminated by infusion
- Balsa core, white gel coat
- Balsa core bridge deck and deck
- Laminated marine plywood bulkheads
- Composite longitudinal crossbeam with with integrated chain run and forestay chain plate
- 8 x Moorings cleats
- 1000W 12V electrical windlass with vertical axe, gypsy (chain 10mm)
- Access to the windlass and to the anchor locker through a hatch
- Outside pushpits
- **Pulpits with wooden seats**
- 2 ranges of lifelines
- Deck shower on port
- Stainless steel telescopic swim ladder with fixed handle on starboard
- Small storage on the sides of the transom
- Large cockpit usable as a deck salon, protected by a hard top bimini
- "L" bench with 1 storage locker and 10 kg gas bottle under the seat
- Removable polyester cockpit table
- **Cockpit fridge**
- Storage locker on portside in aft cockpit
- Sitting area in aft cockpit to port with storage locker
- **Fitted cockpit cushions**
- Polyester fiddle anti-runoff on the sides of the cockpit
- Access to the engine compartments through hatches with gas struts
- Aft crossbeam with stainless steel backrest
- **Dinghy hoist system**
- Composite staircases to access helm station from the cockpit
- **Composite bimini with windscreen at helm station and stair for access to the roof**
- Stainless steel helmsman seat
- **Helm seat cushions**
- Instruments console at helm station
- Cup holder at helm station
- Sheets bag on the starboard side of the helm station
- Winch handle holder at helm station
- Foredeck: Large hatch on starboard with gas stainless struts and locker for the access to the fresh water tank
- Trampoline with nylon thread
- Bow lockers accessed through opening deck hatches
- Anodized aluminum crossbeam with mooring point for the self-tacking jib furler, anchor roller
- Navigation lights on the forward decks and at the back of the roof
- **Sunsail graphics**
- **Plancha grill rail mounted**
- **2 x Outdoor beanbag chairs**

MAST, RIGGING & SAILS

- **Custom heavy duty battened charter mainsail**
- **Charter upgrade, heavy duty furling genoa with Sunsail red UV protection strips**
- **Stackpack LazyJack system in Sunsail blue with logo**
- Anodized aluminum mast with mainsail track and ball-bearing
- Anodized aluminum boom
- 1 level of spreaders + diamond
- **Flag halyards on spreaders**
- 2 encased shrouds
- 1 x Forestay with furler for self-tacking jib
- Deck light on the mast

Initials

Initials

EXHIBIT A

RUNNING RIGGING

- 1 x Double purchase spectra mainsail halyard with return at the helm station
- 1 x Spectra self-tacking jib halyard fixed at the foot of the mast
- 1 x Mainsail sheet pre-stretched
- 1 x Self-tacking jib sheet pre-stretched
- 3 x reefing lines
- 1 x Pre-stretched self-tacking jib furling line
- 2 x Mainsail traveler car control lines pre-stretched
- 1 x Mainsail track with ball-bearing
- 1 x Self-tacking jib track
- **1 x Electric winch to port side 46.2 STA**
- 1 x Manual winch 46.2 STA

ENGINE & CONTROLS

- 2 x Yanmar 45hp common rail diesel engines with sail drives
- 2 x Propellers - 2-blade fixed
- Mechanical engine throttles at the helm station
- Air evacuation by 2 electrical air extractors with entrance on the aft transom
- Sound-proofing of the engine compartment
- Fuel filter systems
- Fuel shut off valve
- Fuel gauge at the general control panel
- 300lt / 79us gal rotomoulded fuel tank
- **Additional fuel tank (300lt / 79us gal)**
- Seawater filter

ELECTRICAL INSTALLATION

- 2 alternators 12V 125A
- 2 x Start batteries 12V 110A
- 2 x Service batteries 12V 140Ah
- **2 x Additional service batteries 140Ah**
- **AGM battery upgrade**
- Batteries breaker in the engine compartments just below the hatches
- 12V General distribution panel at the chart table with protection by circuit breaker
- Ammeter, voltmeter, circuit breaker, panel lighting
- 12V LED outside lighting
- 1 x Chart table light with red LED light
- 12V LED inside lighting
- LED Navigation lights
- 12V lighting in the engine compartment
- **2 x 40amp battery charger**
- **Battery controller**
- **Fusion stereo system with bluetooth and saloon and cockpit speakers**
- **Generator**
- **Solar panels**
- **Interior indirect lighting**
- **Fans in saloon and all cabins**
- **USB sockets in the cabins**
- **Cruisair Air conditioning; total 48,000 BTU**
- **B&G Instrumentation package**
- **H50 handset for VHF at helm**

Initials

Initials

SALOON/INTERIOR

- Laminate finish with solid wood trims
- Wear resistant simulated wood flooring
- One-level interior with no door sills
- Blackout curtains in the cabins and salon
- Sliding aluminum windows
- Wooden salon table
- **Saloon table converts to double berth**
- L-shaped bench on front starboard around saloon table
- 1 fixed bench seat in front of the seating area
- 3 x Lockers under the bench
- **Upper storage in saloon to starboard**
- Stainless steel pillar
- 2 opening portholes in the front window

NAVIGATION CONSOLE

- Large instrument console
- 1 x Desk with 1 flap and 3 pencil cases
- Electric panel in the starboard companionway

GALLEY

- U-Shaped galley
- Laminated compact grey countertop
- Stainless steel sink with hot/cold mixer tap
- 1 x Door with a 25L waste bin under the sink
- Cutlery storage
- 3 burners stove
- 1 x Gas oven under the countertop
- Storage under the stove
- **Locker and microwave oven with grill**
- Fridge 130L
- **Top opening freezer (100L / 26 us gal)**
- Low storage cupboards with shelves, access from the salon
- Open storage next to the entry
- High storage cupboards

AFT CABINS

- Double bed with high density foam mattresses. Front and lateral access
- 2 nightstands
- 1 x Under bed drawer
- Storage cabinet
- 1 x Opening deck hatch
- 1 x Opening porthole
- 1 x Large fixed hull window
- 1 x Fixed transom window with opening porthole
- **Aft portholes in aft cabins with curtains**
- **Leather bulkhead organizers**

Initials

Initials

EXHIBIT A

FORWARD CABINS

- Double bed with high density foam mattresses. Front and lateral access
- 1 x Under bed drawer
- Hanging locker
- 1 x Storage area with shelf inboard
- 1 x Opening deck hatch
- 1 x Opening hull porthole
- 1 x Large fixed hull window
- **Berth in port and starboard bow**
- **Leather bulkhead organizers**

AFT HEADS

- Composite countertop
- Washbasin with hot/cold mixer tap
- High storage: 1 shelf, 1 mirror, 2 compartments
- Low storage : 1 door, 2 shelves
- Separate shower with Plexiglas door
- 1 x Opening deck hatch
- **Electric flushing toilets**

FORWARD HEADS

- Composite countertop
- Washbasin with hot/cold mixer tap
- High storage: 1 mirror, 2 compartments
- Low storage : 1 door, 2 shelves
- Integrated shower
- **Electric flushing toilets**
- 1 x Opening deck hatch

PLUMBING INSTALLATION

- 300lt / 79us gal rotomoulded fresh water tank with gauge at the panel
- **Additional water tank (300L / 79us gal)**
- Fresh water circuit with 1 main water group in the aft port engine compartment
- 40L electric water heater, 110V or 220V engine exchanger
- Shower and washbasin drain to grey water tank and automatic pump
- 1 x Manual bilge pump with cockpit pump (by hull)
- 1 x Automatic immersed bilge pump (by hull)
- 1 x Manual release non-immersed bilge pump (by hull)
- **Watermaker**

GENERAL EQUIPMENT

- 6 x Fire extinguishers
- Owner's Operating Manual

Initials

Initials

EXHIBIT A

SAFETY GEAR

- 6 x Fenders
- 4 x Mooring lines
- 2 x Spring Lines
- 8 x Life jackets
- Safety harnesses
- Bell
- Flare Kit
- Binoculars
- Navigation tools: Parallel rule, compass, dividers
- Primary and secondary anchors

CRUISING GEAR

- Plates, cups, saucers, glasses per max pax
- Bed linens per max pax
- Flatware per max pax
- Pots, pans, miscellaneous food prep tools
- Cooking and serving utensils
- Snorkeling gear per max pax
- Towels and washcloths

DELIVERY & COMMISSIONING

- Antifouling Paint
- Delivery to charter port

Specifications

Length Overall: 12.80m/42ft 0in
Waterline Length: 12.50m/41ft 0in
Mast Height: 20.65m/67ft 9in
Beam: 7.70m/25ft 3in
Draft: 1.25m/4ft 1in
Displacement: 10976kg/26681lb
Fuel Capacity: 600L/158gal
Water Capacity: 600L/158gal
Engines: 2 x 45HP



The Builder reserves the right to change or amend the contents of this document at any time without prior notification to any third party, and no liability will be accepted for errors contained within the same.

Initials

Initials